

Heathfield&Co

Installation Guide

CEILING LIGHT | NULA HORIZONTAL



General Notes



- Before carrying out installation, please ensure that you have read and understood this document carefully.
- This fitting is low voltage and must be connected to the integrated constant voltage LED driver when installing on a mains voltage circuit. Do not connect this fitting directly to a mains voltage circuit.
- The LED driver is supplied and contained within the ceiling rose.
- This fitting contains an integrated LED light source. Do not attempt to replace the lamp. In case of failure, please contact our sales team.
- This fitting is IP44 rated, suitable for use in bathrooms. Please refer to our bathroom guide for more information: heathfield.co.uk/stories/lighting-guide-the-bathroom
- An IP rated terminal block must be used in this fitting for use in a bathroom.
- Switch off electricity and ensure the correct wiring procedure & regulations have been checked with a qualified electrician.
- Ensure the fitting is being fixed to a suitable surface, strong enough to support the weight of the product.
- Ensure that suitable fixings are used - additional fixing screws are not included.
- The ceiling mount and fixing screws are supplied already attached to the fitting.
- Save these instructions for future reference.
- If you have any additional questions, please contact our sales team.

Caution

Installation of this fitting must be carried out by a qualified electrician.

Warning

Electricity must be switched off at the mains fuse box before installing this fitting.



Ceiling Mount
x1



Fixing Screws
x2



Nula Horizontal
x1

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co


Installation Guide

CEILING LIGHT | NULA HORIZONTAL





STEP 1

- Switch off the electricity at the mains fuse box. Turning off the power at the switch is not sufficient.
- Remove the 2x fixing screws to separate the ceiling mount from the ceiling rose.



STEP 2

- Fix the ceiling mount to the ceiling using appropriate fixings.



STEP 3

- Remove the cap from the top of the suspension barrel by turning it anticlockwise.

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co



Installation Guide

CEILING LIGHT | NULA HORIZONTAL




STEP 4

- Measure and position the centre of the cap to be 810mm from the centre of the ceiling mount.
- Fix the cap to the ceiling using appropriate fixings.




STEP 5

- If you need to adjust the suspension wire on the ceiling rose twist the suspension clutch anticlockwise and push through the wire.
- Once the desired length is reached, twist the suspension clutch clockwise to tighten it.



STEP 6

- Offer the ceiling light up to the ceiling mount & make electrical connections, following the below wiring diagram. Please note you will need to hold the weight of the pendant while connecting the wires.



H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co


Installation Guide

CEILING LIGHT | NULA HORIZONTAL




STEP 7

- Screw the suspension barrel onto the cap.



STEP 8

- If you need to adjust the suspension wire in the barrel, twist the suspension clutch anticlockwise.
- Push & pull the wire out at the hole on the side.
- Once the desired length is reached, twist the suspension clutch clockwise to tighten it.
- Trim the excess suspension wire at the side of the barrel once the lengths are correct.



STEP 9

- Switch the power back on.

H&
CO



LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co

Installation Guide

CEILING LIGHT | NULA HORIZONTAL



Dimensions in mm and approximate.

*Flex drop length adjustable.

H&
CO

LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.