

Heathfield&Co

Installation Guide

CEILING LIGHT | OSCAR LINEAR



General Notes


- Before carrying out installation, please ensure that you have read and understood this document carefully.
- This fitting is suitable for dry, indoor use only.
- Switch off electricity and ensure the correct wiring procedure & regulations have been checked with a qualified electrician.
- Ensure the fitting is being fixed to a suitable surface, strong enough to support the weight of the product.
- Ensure that suitable fixings are used - additional fixing screws are not included.
- The ceiling mount and fixing screws are supplied already attached to the fitting.
- Save these instructions for future reference.
- If you have any additional questions, please contact our sales team.

Caution


Installation of this fitting must be carried out by a qualified electrician.

Warning

Electricity must be switched off at the mains fuse box before installing this fitting.




Glass Shades
x3



Ceiling Mount
x1



Fixing Screws
x2



Oscar Linear
x1

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co


Installation Guide

CEILING LIGHT | OSCAR LINEAR





STEP 1

- Switch off the electricity at the mains fuse box. Turning off the power at the switch is not sufficient.
- Remove the 2x fixing screws to separate the ceiling mount from the ceiling rose.



STEP 2

- Fix the ceiling mount to the ceiling using appropriate fixings.



STEP 3

- Remove the cap from the bottom of the suspension barrel by turning it anticlockwise.

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co



Installation Guide

CEILING LIGHT | OSCAR LINEAR




STEP 4

- Measure and position the centre of the barrel to be 805mm from the centre of the ceiling mount.
- Fix the barrel to the ceiling using appropriate fixings.




STEP 5

- If you need to adjust the suspension wire on the ceiling rose, push the suspension clutch while pushing through the wire.
- Once the desired length is reached, let go of the clutch.



STEP 6

- Offer the ceiling light up to the ceiling mount & make electrical connections, following the below wiring diagram. Please note you will need to hold the weight of the pendant while connecting the wires.




H&
CO

LIGHT BEYOND DESIGN

Heathfield&Co


Installation Guide

CEILING LIGHT | OSCAR LINEAR




STEP 7

- Screw the cap onto the suspension barrel.



STEP 8

- Thread the suspension wire through the clutch of the barrel and out through the side hole.
- If it has already been threaded and you need to adjust the suspension wire on the ceiling rose, push the suspension clutch while pushing through the wire.
- Once the desired length is reached, let go of the clutch.
- Trim the excess suspension wire at the side of the barrel once the lengths are correct.



STEP 9

- Push in the G9 bulbs.
- Carefully screw on the glass shades.
- Switch the power back on.

H&
CO



LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co

Installation Guide

CEILING LIGHT | OSCAR LINEAR



Dimensions in mm and approximate.

*Flex drop length adjustable.

**H&
CO**

LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.