

Heathfield&Co

Installation Guide

CEILING LIGHT | RAYNE



General Notes


- Before carrying out installation, please ensure that you have read and understood this document carefully.
- This fitting is suitable for dry, indoor use only.
- Switch off electricity and ensure the correct wiring procedure & regulations have been checked with a qualified electrician.
- Ensure the fitting is being fixed to a suitable surface, strong enough to support the weight of the product.
- Ensure that suitable fixings are used - additional fixing screws are not included.
- The ceiling mount and fixing screws are supplied already attached to the fitting.
- Save these instructions for future reference.
- If you have any additional questions, please contact our sales team.

Caution

Installation of this fitting must be carried out by a qualified electrician.

Warning


Electricity must be switched off at the mains fuse box before installing this fitting.




Ceiling Mount
x1




Fixing Screws
x3




Rayne
x1



Sand Alabaster
x10



Cream Alabaster
x11



White Alabaster
x15

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co


Installation Guide

CEILING LIGHT | RAYNE




STEP 1

- Switch off the electricity at the mains fuse box. Turning off the power at the switch is not sufficient.
- Remove the 3x fixing screws to separate the ceiling mount from the ceiling rose.




STEP 2

- Fix the ceiling mount to the ceiling using appropriate fixings.
- Make electrical connections, following the below wiring diagram. Please note you will need to hold the weight of the pendant while connecting the wires.



STEP 3

- Offer the ceiling light up to the ceiling mount & screw the fixing screws into the ceiling rose.
- Screw in the lightbulbs.
- Unscrew the finials.
- Hold the alabaster shapes above the thread hole making sure it aligns and screw the finials back into place. (Please refer to the next page for the positioning of each alabaster colour.)
- Switch the power back on.




H&
CO

LIGHT BEYOND DESIGN

Heathfield&Co

Installation Guide

CEILING LIGHT | RAYNE



KEY

	BROWN =		SAND (10 PIECES)
	ORANGE =		CREAM (11 PIECES)
	PINK =		WHITE (15 PIECES)

ALABASTER INSTALL ADVICE

Alabaster to be fitted onto arms in various orientations. There are 3 different arm lengths to install alabaster onto.

As per the above start at the shortest arm with sand.

**H&
CO**



LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co

Installation Guide

CEILING LIGHT | RAYNE



Dimensions in mm and approximate.

*Flex drop length adjustable.

H&
CO

LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.