

Heathfield&Co

Installation Guide

WALL LIGHT | EZRA



General Notes


- Before carrying out installation, please ensure that you have read and understood this document carefully.
- This fitting is suitable for dry, indoor use only.
- Switch off electricity and ensure the correct wiring procedure & regulations have been checked with a qualified electrician.
- Ensure the fitting is being fixed to a suitable surface, strong enough to support the weight of the product.
- Ensure that suitable fixings are used - additional fixing screws are not included.
- The liner plate and fixing screws are supplied already attached to the fitting.
- Save these instructions for future reference.
- If you have any additional questions, please contact our sales team.

Caution


Installation of this fitting must be carried out by a qualified electrician.

Warning


Electricity must be switched off at the mains fuse box before installing this fitting.



Back Bar
x1



Liner Plate
x1



Ezra
x1

H&
CO


LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co


Installation Guide

WALL LIGHT | EZRA





STEP 1

- Switch off the electricity at the mains fuse box. Turning off the power at the switch is not sufficient.
- Turn the bottom rod anti-clockwise until it is off.
- Move the light down to unhook the liner plate from the back bar located within the back of the marble body.



STEP 2

- Fix the liner plate to the wall using appropriate fixings.
- Make electrical connections, following the below wiring diagram.



STEP 3

- Offer the wall light up to the liner plate & hook the liner plate onto the back bar located within the back of the marble body.
- While holding the light in place turn the bottom rod clockwise to secure the light to the liner plate.
- Remove the screws located on the glass plate where the light source is.
- Remove the glass plate.
- Push in the G9 bulb and screw the glass plate back into place.
- Switch the power back on.

H&
CO



LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.

Heathfield&Co

Installation Guide

WALL LIGHT | EZRA



Dimensions in mm and approximate.

H&
CO

LIGHT BEYOND DESIGN

www.heathfield.co.uk | +44 (0) 1732 350450 | sales@heathfield.co.uk
Unit 1, Priory Road, Tonbridge, Kent, TN9 2AF, United Kingdom. © 2026 Heathfield & Co. All rights reserved.